

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	("20020067832").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/03 16:35
L2	1	1 and (map\$4 or compar\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/03 16:39
L3	1	1 and search\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/03 16:50
L4	1	1 and database\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/03 16:50
L5	1	4 and match\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/03 16:50
S1	1	dejong.inv. and (sun adj microsystem\$1).asn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/02 13:10
S2	26	levy.inv. and (sun adj microsystem\$1).asn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/05 14:00
S3	0	rinehart.xa. and cookie\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/07/26 10:01
S4	19	rinehart.xp. and cookie\$1.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/07/26 10:03
S5	89	"5774670".URPN.	USPAT	OR	OFF	2003/07/26 10:03

S6	34	(cookie\$1 or (session adj id\$1) or (session adj identifier\$1)) and "5774670".URPN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/07/26 10:06
S7	2430	server adj3 group\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/07/26 10:06
S8	183	(cookie\$1 or (session adj id\$1) or (session adj identifier\$1)) and (server adj3 group\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/07/26 10:06
S9	8	server adj peer adj group	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/07/26 10:06
S10	4	((cookie\$1 or (session adj id\$1) or (session adj identifier\$1)) and (server adj3 group\$1)) and "5774670".URPN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/07/26 10:06
S11	26	levy.inv. and (sun adj microsystem\$1).asn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/05 14:00
S12	1	dejong.inv. and (sun adj microsystem\$1).asn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/05 14:04
S13	43	leung.inv. and (sun adj microsystem\$1).asn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/05 14:06
S14	24691	(authentica\$5 or verif\$8) near3 (user or subscriber or client)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/05 14:08
S15	26930	(authentica\$5 or verif\$8) near4 (user or subscriber or client)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/05 14:09

S16	31616	(authenticat\$4 or verif\$8) same (password or id or identifier or token or cookie or session or signature or token certificate)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/07 12:19
S17	2231	709/229.ccls. or 709/226.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/05 14:15
S18	2	"5706427".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/05 14:32
S19	38	"5706427".URPN.	USPAT	OR	OFF	2003/08/05 14:30
S20	39453	(unique or random\$4 or perculiar or special) near2 (id or password or identifier or tag or token or key or signature)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/05 14:33
S21	39516	(unique or random\$4 or perculiar or special) near2 (id or password or identifier or tag or token or key or signature or cookie)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/05 14:34
S22	270134	(group\$3 or plurality or peer) near2 (group or server\$1 or host\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/05 14:35
S23	733	707/9.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/05 14:35
S24	53913	(user or subscriber or client or server or session) near2 (identifier or id or password or cookie or tag or key or token)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/05 14:39
S25	54956	(user\$1 or subscriber\$1 or client\$1 or server\$1 or session) near2 (identifier or id or password or cookie or tag or key or token)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/05 14:39
S26	10	"5706427".URPN. and ((unique or random\$4 or perculiar or special) near2 (id or password or identifier or tag or token or key or signature))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/05 14:41

S27	211829	(map\$4 or search or compar\$4 or match\$3) near5 (table or storage or repository or database or entries or id or identifier or identification or password or tag or token or cookie)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/05 15:18
S28	224341	(map\$4 or search\$3 or compar\$4 or match\$3) near5 (table or storage or repository or database or entries or id or identifier or identification or password or tag or token or cookie)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/07 12:25
S29	26	((map\$4 or search\$3 or compar\$4 or match\$3) near5 (table or storage or repository or database or entries or id or identifier or identification or password or tag or token or cookie)) and "5706427".URPN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/05 15:18
S30	9	(each or every) near4 server near4 (map\$4 or search or compar\$4 or match\$3) near5 (table or storage or repository or database or entries or id or identifier or identification or password or tag or token or cookie)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/05 15:19
S31	1124	((group\$3 or plurality or peer) near2 (group or server\$1 or host\$1)) same ((map\$4 or search\$3 or compar\$4 or match\$3) near5 (table or storage or repository or database or entries or id or identifier or identification or password or tag or token or cookie))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/05 15:20
S32	2	((map\$4 or search\$3 or compar\$4 or match\$3) near5 (table or storage or repository or database or entries or id or identifier or identification or password or tag or token or cookie)) and "5706427".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/05 15:45
S33	2	(((map\$4 or search\$3 or compar\$4 or match\$3) near5 (table or storage or repository or database or entries or id or identifier or identification or password or tag or token or cookie)) and "5706427".pn.) and compar\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/05 15:47
S34	15609	"713"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/05 15:48
S35	398	"713"/\$.ccls. and (709/229.ccls. or 709/226.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/05 15:48

S36	178	("713"/\$.ccls. and (709/229.ccls. or 709/226.ccls.)) and ((authentica\$5 or verif\$8) near4 (user or subscriber or client)) and ((authenticat\$4 or verif\$8) same (password or id or identifier or token or cookie or session or signature or token certificate))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/05 15:48
S37	115	("713"/\$.ccls. and (709/229.ccls. or 709/226.ccls.)) and ((authentica\$5 or verif\$8) near4 (user or subscriber or client)) and ((authenticat\$4 or verif\$8) same (password or id or identifier or token or cookie or session or signature or token certificate))) and ((map\$4 or search\$3 or compar\$4 or match\$3) near5 (table or storage or repository or database or entries or id or identifier or identification or password or tag or token or cookie))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/05 15:49
S38	109	((("713"/\$.ccls. and (709/229.ccls. or 709/226.ccls.)) and ((authentica\$5 or verif\$8) near4 (user or subscriber or client)) and ((authenticat\$4 or verif\$8) same (password or id or identifier or token or cookie or session or signature or token certificate))) and ((map\$4 or search\$3 or compar\$4 or match\$3) near5 (table or storage or repository or database or entries or id or identifier or identification or password or tag or token or cookie))) and ((user\$1 or subscriber\$1 or client\$1 or server\$1 or session) near2 (identifier or id or password or cookie or tag or key or token))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/05 15:50
S39	41	((((("713"/\$.ccls. and (709/229.ccls. or 709/226.ccls.)) and ((authentica\$5 or verif\$8) near4 (user or subscriber or client)) and ((authenticat\$4 or verif\$8) same (password or id or identifier or token or cookie or session or signature or token certificate))) and ((map\$4 or search\$3 or compar\$4 or match\$3) near5 (table or storage or repository or database or entries or id or identifier or identification or password or tag or token or cookie))) and ((user\$1 or subscriber\$1 or client\$1 or server\$1 or session) near2 (identifier or id or password or cookie or tag or key or token))) and ((group\$3 or plurality or peer) near2 (group or server\$1 or host\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/05 16:31

S40	2385	713/202.ccls. or 713/201.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/05 16:57
S41	3501	713/202.ccls. or 713/201.ccls. or 713/168.ccls. or 713/185.ccls. or 713/171.ccls. or 713/155.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/05 17:04
S42	241	705/67.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/05 17:04
S43	8	705/67.ccls. and ((authenticat\$4 or verif\$8) same (password or id or identifier or token or cookie or session or signature or token certificate)) and ((group\$3 or plurality or peer) near2 (group or server\$1 or host\$1)) and ((unique or random\$4 or perculiar or special) near2 (id or password or identifier or tag or token or key or signature or cookie)) and ((map\$4 or search\$3 or compar\$4 or match\$3) near5 (table or storage or repository or database or entries or id or identifier or identification or password or tag or token or cookie))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/05 17:05
S44	142	(713/202.ccls. or 713/201.ccls. or 713/168.ccls. or 713/185.ccls. or 713/171.ccls. or 713/155.ccls.) and ((authenticat\$4 or verif\$8) same (password or id or identifier or token or cookie or session or signature or token certificate)) and ((group\$3 or plurality or peer) near2 (group or server\$1 or host\$1)) and ((unique or random\$4 or perculiar or special) near2 (id or password or identifier or tag or token or key or signature or cookie)) and ((map\$4 or search\$3 or compar\$4 or match\$3) near5 (table or storage or repository or database or entries or id or identifier or identification or password or tag or token or cookie))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/05 17:05

S45	23	((713/202.ccls. or 713/201.ccls. or 713/168.ccls. or 713/185.ccls. or 713/171.ccls. or 713/155.ccls.) and ((authenticat\$4 or verif\$8) same (password or id or identifier or token or cookie or session or signature or token certificate)) and ((group\$3 or plurality or peer) near2 (group or server\$1 or host\$1)) and ((unique or random\$4 or perculiar or special) near2 (id or password or identifier or tag or token or key or signature or cookie)) and ((map\$4 or search\$3 or compar\$4 or match\$3) near5 (table or storage or repository or database or entries or id or identifier or identification or password or tag or token or cookie))) and (709/229.ccls. or 709/226.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/05 17:06
S46	21	(709/229.ccls. or 709/226.ccls.) and (713/202.ccls. or 713/201.ccls. or 713/168.ccls. or 713/185.ccls. or 713/171.ccls. or 713/155.ccls.) and 707/9.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/05 17:07
S47	12683	(smart or java) adj (ticket or card or token or tag)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/05 17:08
S48	454	((smart or java) adj (ticket or card or token or tag)) and (713/202.ccls. or 713/201.ccls. or 713/168.ccls. or 713/185.ccls. or 713/171.ccls. or 713/155.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/05 17:08
S49	24	((smart or java) adj (ticket or card or token or tag)) and (713/202.ccls. or 713/201.ccls. or 713/168.ccls. or 713/185.ccls. or 713/171.ccls. or 713/155.ccls.) and (709/229.ccls. or 709/226.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/05 17:08
S50	3927	709/224.ccls. or 709/223.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/05 17:09
S51	801	709/228.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/05 17:09

S52	1936	709/219.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/05 17:09
S53	67	709/219.ccls. and (713/202.ccls. or 713/201.ccls. or 713/168.ccls. or 713/185.ccls. or 713/171.ccls. or 713/155.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/05 17:10
S54	73185	(credential or client\$1 or subscriber\$1 or user\$1) near3 (id\$1 or identifier\$1 or identity or password or ticket or token or cookie or key or signature)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/07 15:11
S55	36889	(authenticat\$4 or authority or verif\$8 or trust\$2) near3 (server\$1 or system\$1 or host\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/07 15:11
S56	34882	(authenticat\$4 or authority or verif\$8 or trust\$2) near7 (user\$1 or client\$1 or subscriber\$1 or credential\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/07 15:11
S57	29806	(credential\$1 or subscriber\$1 or client\$1 or user\$1) near4 (profile\$1 or credential\$1 or preference\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/07 15:11
S58	804	709/228.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/07 12:23
S59	2238	709/226.ccls. or 709/229.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/07 12:23
S60	3620	707/9.ccls. or 707/3.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/07 12:25

S61	19011	(map\$4 or search\$3 or compar\$4 or match\$3) near7 (table or storage or repository or database or (data adj warehouse) or (data adj store) or datastore) near7 (entries or id\$1 or identifier\$1 or identification or password\$1 or tag\$1 or token\$1 or cookie\$1 or signature or key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/07 15:11
S62	241	705/67.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/07 12:27
S63	2396	((713/202) or (713/201)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/07 12:28
S64	1309	((713/168) or (713/185) or (713/171) or (713/155)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/07 12:29
S65	154	((credential or client\$1 or subscriber\$1 or user\$1) near3 (id\$1 or identifier\$1 or identity or password or ticket or token or cookie or key or signature)) and ((authenticat\$4 or authority or verif\$8 or trust\$2) near3 (server\$1 or system\$1 or host\$1)) and ((authenticat\$4 or authority or verif\$8 or trust\$2) near7 (user\$1 or client\$1 or subscriber\$1 or credential\$1)) and ((credential\$1 or subscriber\$1 or client\$1 or user\$1) near4 (profile\$1 or credential\$1 or preference\$1)) and (709/226.ccls. or 709/229.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/07 12:29

S66	32	((credential or client\$1 or subscriber\$1 or user\$1) near3 (id\$1 or identifier\$1 or identity or password or ticket or token or cookie or key or signature)) and ((authenticat\$4 or authority or verif\$8 or trust\$2) near3 (server\$1 or system\$1 or host\$1)) and ((authenticat\$4 or authority or verif\$8 or trust\$2) near7 (user\$1 or client\$1 or subscriber\$1 or credential\$1)) and ((credential\$1 or subscriber\$1 or client\$1 or user\$1) near4 (profile\$1 or credential\$1 or preference\$1)) and ((map\$4 or search\$3 or compar\$4 or match\$3) near7 (table or storage or repository or database or (data adj warehouse) or (data adj store) or datastore) near7 (entries or id\$1 or identifier\$1 or identification or password\$1 or tag\$1 or token\$1 or cookie\$1 or signature or key)) and (709/226.ccls. or 709/229.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/07 12:30
S67	53	((credential or client\$1 or subscriber\$1 or user\$1) near3 (id\$1 or identifier\$1 or identity or password or ticket or token or cookie or key or signature)) and ((authenticat\$4 or authority or verif\$8 or trust\$2) near3 (server\$1 or system\$1 or host\$1)) and ((authenticat\$4 or authority or verif\$8 or trust\$2) near7 (user\$1 or client\$1 or subscriber\$1 or credential\$1)) and ((credential\$1 or subscriber\$1 or client\$1 or user\$1) near4 (profile\$1 or credential\$1 or preference\$1)) and ((map\$4 or search\$3 or compar\$4 or match\$3) near7 (table or storage or repository or database or (data adj warehouse) or (data adj store) or datastore) near7 (entries or id\$1 or identifier\$1 or identification or password\$1 or tag\$1 or token\$1 or cookie\$1 or signature or key)) and (((713/202) or (713/201)).CCLS.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/07 12:30

S68	23	((credential or client\$1 or subscriber\$1 or user\$1) near3 (id\$1 or identifier\$1 or identity or password or ticket or token or cookie or key or signature)) and ((authenticat\$4 or authority or verif\$8 or trust\$2) near3 (server\$1 or system\$1 or host\$1)) and ((authenticat\$4 or authority or verif\$8 or trust\$2) near7 (user\$1 or client\$1 or subscriber\$1 or credential\$1)) and ((credential\$1 or subscriber\$1 or client\$1 or user\$1) near4 (profile\$1 or credential\$1 or preference\$1)) and ((map\$4 or search\$3 or compar\$4 or match\$3) near7 (table or storage or repository or database or (data adj warehouse) or (data adj store) or datastore) near7 (entries or id\$1 or identifier\$1 or identification or password\$1 or tag\$1 or token\$1 or cookie\$1 or signature or key)) and (((713/168) or (713/185) or (713/171) or (713/155)).CCLS.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/07 12:30
S69	68	tabuki.inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/07 12:31
S70	1	tabuki.inv. and (((713/168) or (713/185) or (713/171) or (713/155)).CCLS.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/07 12:33
S71	30	"5841970".URPN.	USPAT	OR	OFF	2003/08/07 12:32
S72	290618	(plurality or peer or multiple or group) near3 (server\$1 or authenticat\$4 or system\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/07 12:34
S73	638173	(plurality or peer or multiple or group) near3 (server\$1 or authenticat\$4 or system\$1 or group\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/07 12:39
S74	0	tabuki.inv. and "5841970".URPN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/07 12:35

S75	2	"5706427".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/07 12:35
S76	38	"5706427".URPN.	USPAT	OR	OFF	2003/08/07 12:35
S77	4	"5706427".URPN. and ((map\$4 or search\$3 or compar\$4 or match\$3) near7 (table or storage or repository or database or (data adj warehouse) or (data adj store) or datastore) near7 (entries or id\$1 or identifier\$1 or identification or password\$1 or tag\$1 or token\$1 or cookie\$1 or signature or key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/07 12:38
S78	27	"5930804".URPN.	USPAT	OR	OFF	2003/08/07 12:37
S79	438	((plurality or peer or multiple or group) near3 (server\$1 or authenticat\$4 or system\$1 or group\$1)) and ((map\$4 or search\$3 or compar\$4 or match\$3) near7 (table or storage or repository or database or (data adj warehouse) or (data adj store) or datastore) near7 (entries or id\$1 or identifier\$1 or identification or password\$1 or tag\$1 or token\$1 or cookie\$1 or signature or key)) and ((credential or client\$1 or subscriber\$1 or user\$1) near3 (id\$1 or identifier\$1 or identity or password or ticket or token or cookie or key or signature)) and ((authenticat\$4 or authority or verif\$8 or trust\$2) near3 (server\$1 or system\$1 or host\$1)) and ((authenticat\$4 or authority or verif\$8 or trust\$2) near7 (user\$1 or client\$1 or subscriber\$1 or credential\$1)) and ((credential\$1 or subscriber\$1 or client\$1 or user\$1) near4 (profile\$1 or credential\$1 or preference\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/07 12:38

S80	19	<p>((plurality or peer or multiple or group) near3 (server\$1 or authenticat\$4 or system\$1 or group\$1)) and ((map\$4 or search\$3 or compar\$4 or match\$3) near7 (table or storage or repository or database or (data adj warehouse) or (data adj store) or datastore) near7 (entries or id\$1 or identifer\$1 or identification or password\$1 or tag\$1 or token\$1 or cookie\$1 or signature or key)) and ((credential or client\$1 or subscriber\$1 or user\$1) near3 (id\$1 or identifier\$1 or identity or password or ticket or token or cookie or key or signature)) and ((authenticat\$4 or authority or verif\$8 or trust\$2) near3 (server\$1 or system\$1 or host\$1)) and ((authenticat\$4 or authority or verif\$8 or trust\$2) near7 (user\$1 or client\$1 or subscriber\$1 or credential\$1)) and ((credential\$1 or subscriber\$1 or client\$1 or user\$1) near4 (profile\$1 or credential\$1 or preference\$1))) and (((713/168) or (713/185) or (713/171) or (713/155)).CCLS.)</p>	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/07 12:38
S81	236271	(plurality or peer or multiple or group) near2 (server\$1 or group)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/07 15:12

S82	308	((plurality or peer or multiple or group) near2 (server\$1 or group)) and (((plurality or peer or multiple or group) near3 (server\$1 or authenticat\$4 or system\$1 or group\$1)) and ((map\$4 or search\$3 or compar\$4 or match\$3) near7 (table or storage or repository or database or (data adj warehouse) or (data adj store) or datastore) near7 (entries or id\$1 or identifier\$1 or identification or password\$1 or tag\$1 or token\$1 or cookie\$1 or signature or key)) and ((credential or client\$1 or subscriber\$1 or user\$1) near3 (id\$1 or identifier\$1 or identity or password or ticket or token or cookie or key or signature)) and ((authenticat\$4 or authority or verif\$8 or trust\$2) near3 (server\$1 or system\$1 or host\$1)) and ((authenticat\$4 or authority or verif\$8 or trust\$2) near7 (user\$1 or client\$1 or subscriber\$1 or credential\$1)) and ((credential\$1 or subscriber\$1 or client\$1 or user\$1) near4 (profile\$1 or credential\$1 or preference\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/07 12:56
S83	1196	((credential or client\$1 or subscriber\$1 or user\$1) near3 (id\$1 or identifier\$1 or identity or password or ticket or token or cookie or key or signature)) and ((authenticat\$4 or authority or verif\$8 or trust\$2) near3 (server\$1 or system\$1 or host\$1)) and ((authenticat\$4 or authority or verif\$8 or trust\$2) near7 (user\$1 or client\$1 or subscriber\$1 or credential\$1)) and ((credential\$1 or subscriber\$1 or client\$1 or user\$1) near4 (profile\$1 or credential\$1 or preference\$1)) and ((plurality or peer or multiple or group) near2 (server\$1 or group))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/07 12:57

S84	134	((credential or client\$1 or subscriber\$1 or user\$1) near3 (id\$1 or identifier\$1 or identity or password or ticket or token or cookie or key or signature)) and ((authenticat\$4 or authority or verif\$8 or trust\$2) near3 (server\$1 or system\$1 or host\$1)) and ((authenticat\$4 or authority or verif\$8 or trust\$2) near7 (user\$1 or client\$1 or subscriber\$1 or credential\$1)) and ((credential\$1 or subscriber\$1 or client\$1 or user\$1) near4 (profile\$1 or credential\$1 or preference\$1)) and ((plurality or peer or multiple or group) near2 (server\$1 or group))) and (((713/202) or (713/201)).CCLS.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/07 12:57
S85	22	(((credential or client\$1 or subscriber\$1 or user\$1) near3 (id\$1 or identifier\$1 or identity or password or ticket or token or cookie or key or signature)) and ((authenticat\$4 or authority or verif\$8 or trust\$2) near3 (server\$1 or system\$1 or host\$1)) and ((authenticat\$4 or authority or verif\$8 or trust\$2) near7 (user\$1 or client\$1 or subscriber\$1 or credential\$1)) and ((credential\$1 or subscriber\$1 or client\$1 or user\$1) near4 (profile\$1 or credential\$1 or preference\$1)) and ((plurality or peer or multiple or group) near2 (server\$1 or group))) and (((713/202) or (713/201)).CCLS.)) and (709/226.ccls. or 709/229.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/07 12:59
S86	55	((credential or client\$1 or subscriber\$1 or user\$1) near3 (id\$1 or identifier\$1 or identity or password or ticket or token or cookie or key or signature)) and ((authenticat\$4 or authority or verif\$8 or trust\$2) near3 (server\$1 or system\$1 or host\$1)) and ((authenticat\$4 or authority or verif\$8 or trust\$2) near7 (user\$1 or client\$1 or subscriber\$1 or credential\$1)) and ((credential\$1 or subscriber\$1 or client\$1 or user\$1) near4 (profile\$1 or credential\$1 or preference\$1)) and ((plurality or peer or multiple or group) near2 (server\$1 or group))) and (((713/168) or (713/185) or (713/171) or (713/155)).CCLS.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/07 12:59
S87	2	"5237614".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/07 14:37

S88	38	"5237614".URPN.	USPAT	OR	OFF	2003/08/07 14:54
S89	1	"6094656".PN.	USPAT	OR	OFF	2003/08/07 14:58
S90	17	(("5721781") or ("5742756") or ("5802519") or ("5844218") or ("5930363") or ("6052690") or ("6094656") or ("6212633") or ("6373950")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/07 15:01
S91	73185	(credential or client\$1 or subscriber\$1 or user\$1) near3 (id\$1 or identifier\$1 or identity or password or ticket or token or cookie or key or signature)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/07 15:11
S92	36889	(authenticat\$4 or authority or verif\$8 or trust\$2) near3 (server\$1 or system\$1 or host\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/07 15:11
S93	34882	(authenticat\$4 or authority or verif\$8 or trust\$2) near7 (user\$1 or client\$1 or subscriber\$1 or credential\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/07 15:11
S94	29806	(credential\$1 or subscriber\$1 or client\$1 or user\$1) near4 (profile\$1 or credential\$1 or preference\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/07 15:11
S95	19011	(map\$4 or search\$3 or compar\$4 or match\$3) near7 (table or storage or repository or database or (data adj warehouse) or (data adj store) or datastore) near7 (entries or id\$1 or identifier\$1 or identification or password\$1 or tag\$1 or token\$1 or cookie\$1 or signature or key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/07 15:12
S96	225475	(plurality or peer or multiple or group) near2 (server\$1 or group)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/07 16:25
S97	18	(("6510236") or ("5774670") or ("5841970") or ("5930804") or ("6041357") or ("6092196") or ("6212633") or ("6275941")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/11 14:55
S98	2	("20020184507").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/02 13:12

S99	152	(plurality or multiple or group) adj3 (authenticat\$5 or verif\$10) adj server\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/03 15:16
S100	7930	map\$4 near5 server\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 13:13
S101	16	S99 and S100	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 13:16
S102	24507	smart adj card\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 13:16
S103	17	S102 and S99	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 13:20
S104	678	identification adj server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 13:20
S105	89	S104 and S100	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 13:20
S106	124254	S99 ad S105	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 13:20
S107	6	S99 and S105	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 13:20
S108	5941	(authenticat\$5 or verif\$10) adj server\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 13:21

S10 9	60	S108 and S104	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 13:21
S11 0	13	S102 and S109	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 13:47
S11 1	21028	nokia.asn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 13:48
S11 2	13124	"380"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 13:48
S11 3	64	S112 and S111	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 13:48
S11 4	36	S113 and random\$8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 13:49
S11 5	26	S114 and @ad<"20011010"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 13:52
S11 6	4	S115 and map\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 13:52
S11 7	100	peer and S112 and mobil\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 13:52
S11 8	39	S117 and @ad<"20011010"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/03 15:18

S11 9	442	dejong.inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 13:54
S12 0	3	S119 and mobile	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 13:54
S12 1	0	dejoung.inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 13:54
S12 2	29	S118 and random\$8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 13:56
S12 3	39052	card adj reader	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 13:56
S12 4	65363	smart or atm adj card	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 13:57
S12 5	348	S123 and S124 and S112	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 13:57
S12 6	9	peer and S125 and map\$4 and random\$8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 13:57
S12 7	152	(plurality or multiple or group) adj3 (authenticat\$5 or verif\$10) adj server\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/03 15:17
S12 8	0	each near3 server near3 search\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/03 15:17

S12 9	12104	server near3 search\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/03 15:17
S13 0	25	S129 and S127	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/03 15:17
S13 1	6	S130 and @rlad<"20011010"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/03 15:21
S13 2	0	each near5 server near5 verif\$10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/03 15:21
S13 3	8421	server near5 verif\$10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/03 15:21
S13 4	55	S133 and S127	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/03 15:21
S13 5	13	S134 and @rlad<"20011010"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/03 16:35